

#	LANTERN	COL	BAR	DIMMER	CH	MEAS	NOTES
1	Acclaim Profile 18/34	O/W	3	1	91		
		Open White					
2	Acclaim Profile 24/44	L111	4	2	13		
		Dark Pink					
3	Acclaim Profile 24/44	L134	5	3	26		
		Golden Amber					
4	Acclaim Profile 24/44	L079	6	4	39		
		Just Blue					
5	Strand Pattern 813 Profile	O/W	7	5	92		
		Open White					
6	Acclaim Profile 24/44	L111	8	2	13		
		Dark Pink					
7	Acclaim Profile 24/44	L134	9	3	26		
		Golden Amber					
8	Acclaim Profile 24/44	L079	10	4	39		
		Just Blue					
9	Acclaim Profile 18/34	O/W	11	6	93		
		Open White					
10	Acclaim Profile 24/44	L111	1	7	12		
		Dark Pink					
11	Acclaim Profile 24/44	L134	13	8	25		
		Golden Amber					
12	Acclaim Profile 24/44	L079	14	9	38		
		Just Blue					
13	Selecon 1k Profile	O/W	15	10	94		
		Open White					
14	Selecon 1k Profile	O/W	16	11	10		
		Open White					
15	Acclaim Profile 24/44	L079	17	9	38		
		Just Blue					
16	Acclaim Profile 24/44	L134	18	8	25		
		Golden Amber					
17	Acclaim Profile 24/44	L111	19	7	12		
		Dark Pink					
18	Strand Pattern 813 Profile	O/W	20	12	95		
		Open White					
19	Acclaim Profile 24/44	L079	21	15	37		
		Just Blue					
20	Acclaim Profile 24/44	L134	22	14	24		
		Golden Amber					
21	Acclaim Profile 24/44	L111	23	13	11		
		Dark Pink					
22	Strand Pattern 813 Profile	O/W	24	16	96		
		Open White					
23	Acclaim Profile 24/44	L079	25	15	37		
		Just Blue					
24	Acclaim Profile 24/44	L134	26	14	24		
		Golden Amber					
25	Acclaim Profile 24/44	L111	27	13	11		
		Dark Pink					
26	Acclaim Profile 18/34	O/W	28	17	97		
		Open White					

P Perch

STANDARD RIG as at April 2010

KARRALYKA CENTRE

#	LANTERN	COL	BAR	DIMMER	CH	NOTES
BOTTOM						
1	Strand Pattern 813 Profile	L079	37	20	41	
		Just Blue				
2	Strand Pattern 813 Profile	L079	37	20	41	
		Just Blue				
MIDDLE						
3	Strand Pattern 813 Profile	L134	40	19	28	
		Golden Amber				
4	Strand Pattern 813 Profile	L134	40	19	28	
		Golden Amber				
TOP						
5	Strand Pattern 813 Profile	L111	39	18	15	
		Dark Pink				
6	Strand Pattern 813 Profile	L111	39	18	15	
		Dark Pink				
ON EXTRA ARM AT BOTTOM						
7	Strand 650w Fresnel	L111	42	CW	CW	Curtain Warmer
		Dark Pink				

Lanterns numbered from
Bottom to Top

20100419 - April 2010 Standard Patch

OP Perch

STANDARD RIG as at April 2010

KARRALYKA CENTRE

#	LANTERN	COL	BAR	DIMMER	CH	NOTES
BOTTOM						
1	Strand Pattern 813 Profile	L079	48	23	40	
		Just Blue				
2	Strand Pattern 813 Profile	L079	48	23	40	
		Just Blue				
MIDDLE						
3	Strand Pattern 813 Profile	L134	47	22	27	
		Golden Amber				
4	Strand Pattern 813 Profile	L134	47	22	27	
		Golden Amber				
TOP						
5	Strand Pattern 813 Profile	L111	45	21	14	
		Dark Pink				
6	Strand Pattern 813 Profile	L111	45	21	14	
		Dark Pink				
ON EXTRA ARM AT BOTTOM						
7	Strand 650w Fresnel	L111	44	CW	CW	Curtain Warmer
		Dark Pink				

Lanterns numbered from
Bottom to Top

20100419 - April 2010 Standard Patch

#	LANTERN	COL	BAR	INTER	DIM	CH	MEAS	NOTES
1	SELECON Fresnel 1k	L111	3	49	61	16		
		Dark Pink						
2	SELECON Fresnel 1k	L134	4	50	62	29		
		Golden Amber						
3	SELECON Fresnel 1k	L079	5	51	63	42		
		Just Blue						
4	SELECON Fresnel 1k	O/W	6	52	64	50		
		Open White						
5	Acclaim Profile 18/34	O/W	8	53	24	3		
		Open White						
6	Strand Pattern 23	Decal	9	54	66	74		
		Decal Breakup						
7	Strand Pattern 23	Decal	9	54	66	74		
		Decal Breakup						
8	Acclaim Profile 18/34	O/W	13	56	68	2		
		Open White						
9	Strand Pattern 23	Decal	16	57	69	75		
		Decal Breakup						
10	Strand Pattern 23	Decal	16	57	69	75		
		Decal Breakup						
11	Acclaim Profile 18/34	O/W	17	58	70	1		
		Open White						
12	SELECON Fresnel 1k	O/W	18	59	71	51		
		Open White						
13	SELECON Fresnel 1k	L079	19	60	72	43		
		Just Blue						
14	SELECON Fresnel 1k	L134	21	61	25	30		
		Golden Amber						
15	SELECON Fresnel 1k	L111	22	62	26	17		
		Dark Pink						

LX 2

**STANDARD RIG
as at April 2010**

KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	MEAS	NOTES
1	SELECON Fresnel 1k	L111	15	64	27	18		
		Dark Pink						
2	SELECON Fresnel 1k	L134	14	65	28	31		
		Golden Amber						
3	SELECON Fresnel 1k	L079	13	66	29	44		
		Just Blue						
4	SELECON Fresnel 1k	O/W	12	67	30	52		
		Open White						
5	Acclaim Profile 18/34	O/W	11	68	31	6		
		Open White						
6	Strand Pattern 23	Decal	10	69	32	76		
		Decal Breakup						
7	Strand Pattern 23	Decal	10	69	32	76		
		Decal Breakup						
8	Strand Pattern 243	O/W	9	70	67	90		
		Open White						
9	Acclaim Profile 18/34	O/W	8	71	34	5		
		Open White						
10	Strand Pattern 23	Decal	6	73	35	77		
		Decal Breakup						
11	Strand Pattern 23	Decal	6	73	35	77		
		Decal Breakup						
12	Acclaim Profile 18/34	O/W	5	74	36	4		
		Open White						
13	SELECON Fresnel 1k	O/W	4	75	75	53		
		Open White						
14	SELECON Fresnel 1k	L079	3	76	76	45		
		Just Blue						
15	SELECON Fresnel 1k	L134	2	77	77	32		
		Golden Amber						
16	SELECON Fresnel 1k	L111	1	78	78	19		
		Dark Pink						

LX 3

STANDARD RIG as at April 2010












KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	MEAS	NOTES
1	SELECON Fresnel 1k	L111	15	79	74	20		
		Dark Pink						
2	SELECON Fresnel 1k	L134	14	80	79	33		
		Golden Amber						
3	SELECON Fresnel 1k	L079	13	81	80	46		
		Just Blue						
4	SELECON Fresnel 1k	O/W	12	82	81	54		
		Open White						
5	Acclaim Profile 18/34	O/W	11	83	82	9		
		Open White						
6	Strand Pattern 23	Decal	5A	91	37	78		
		Decal Breakup						
7	Strand Pattern 23	Decal	5A	91	37	78		
		Decal Breakup						
8	Strand Pattern 243	O/W	8	63	38	89		
		Open White						
9	Acclaim Profile 18/34	O/W	7	85	83	8		
		Open White						
10	Strand Pattern 23	Decal	1A	92	43	79		
		Decal Breakup						
11	Strand Pattern 23	Decal	1A	92	43	79		
		Decal Breakup						
12	Acclaim Profile 18/34	O/W	5	86	84	7		
		Open White						
13	SELECON Fresnel 1k	O/W	4	87	49	55		
		Open White						
14	SELECON Fresnel 1k	L079	3	88	50	47		
		Just Blue						
15	SELECON Fresnel 1k	L134	2	89	51	34		
		Golden Amber						
16	SELECON Fresnel 1k	L111	1	90	52	21		
		Dark Pink						

LX 4

**STANDARD RIG
as at April 2010**

KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	MEAS	NOTES
1	HARMONY Fresnel 1k	L111	10		85	22		
		Dark Pink						
2	HARMONY Fresnel 1k	L134	9		86	35		
		Golden Amber						
3	HARMONY Fresnel 1k	L079	8		87	48		
		Just Blue						
4	HARMONY Fresnel 1k	O/W	6A		88	56		
		Open White						
5	Zoomspot 650 Profile	O/W	7		89	103		
		Open White						
6	Zoomspot 650 Profile	O/W	3A		90	102		
		Open White						
7	Zoomspot 650 Profile	O/W	2A		91	101		
		Open White						
8	HARMONY Fresnel 1k	O/W	1A		92	57		
		Open White						
9	HARMONY Fresnel 1k	L079	3		93	49		
		Just Blue						
10	HARMONY Fresnel 1k	L134	2		94	36		
		Golden Amber						
11	HARMONY Fresnel 1k	L111	1		95	23		
		Dark Pink						

CYC (LX5)

STANDARD RIG as at April 2010




KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	NOTES
1	CCT Starlette Flood	HTL106	CYC101	X	109	88	Prompt Circuit
		HIGH TEMP - Prim. Red					
2	CCT Starlette Flood	HTL132	CYC102	X	110	82	Prompt Circuit
		HIGH TEMP - Med. Blue					
3	CCT Starlette Flood	HTL139	CYC103	X	111	85	Prompt Circuit
		HIGH TEMP - Prim. Grn					
4	CCT Starlette Flood	HTL106	CYC101	X	109	88	Prompt Circuit
		HIGH TEMP - Prim. Red					
5	CCT Starlette Flood	HTL132	CYC102	X	110	82	Prompt Circuit
		HIGH TEMP - Med. Blue					
6	CCT Starlette Flood	HTL139	CYC103	X	111	85	Prompt Circuit
		HIGH TEMP - Prim. Grn					
7	CCT Starlette Flood	HTL106	CYC106	X	114	87	OP Circuit
		HIGH TEMP - Prim. Red					
8	CCT Starlette Flood	HTL132	CYC105	X	108	81	OP Circuit
		HIGH TEMP - Med. Blue					
9	CCT Starlette Flood	HTL139	CYC104	X	112	84	OP Circuit
		HIGH TEMP - Prim. Grn					
10	CCT Starlette Flood	HTL106	CYC106	X	114	87	OP Circuit
		HIGH TEMP - Prim. Red					
11	CCT Starlette Flood	HTL132	CYC105	X	113	81	OP Circuit
		HIGH TEMP - Med. Blue					
12	CCT Starlette Flood	HTL139	CYC104	X	112	84	OP Circuit
		HIGH TEMP - Prim. Grn					

Groundrow

STANDARD RIG as at April 2010

KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	NOTES
1	Strand S63 8 Cell G.Row	HTL106		111	53	86	
		HIGH TEMP - Prim. Red					
2	Strand S63 8 Cell G.Row	HTL132		113	55	80	
		HIGH TEMP - Med. Blue					
3	Strand S63 8 Cell G.Row	HTL139		112	54	83	
		HIGH TEMP - Prim. Grn					

Prompt Ladders

STANDARD RIG as at April 2010

KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	NOTES
LADDER 1							
1	Strand Pattern 813 Profile	L132	PL1.2	X	98	66	
		Medium Blue					
2	Strand Pattern 813 Profile	L132	PL1.2	X	98	66	
		Medium Blue					
3	Strand Pattern 813 Profile	L106	PL1.1	X	97	58	
		Primary Red					
4	Strand Pattern 813 Profile	L106	PL1.1	X	97	58	
		Primary Red					
LADDER 2							
5	CCT Minuette Profile	L132	PL2.2	X	100	70	
		Medium Blue					
6	Strand Pattern 23	L132	PL2.2	X	100	70	
		Medium Blue					
7	Strand Pattern 23	L106	PL2.1	X	99	60	
		Primary Red					
8	Strand Pattern 23	L106	PL2.1	X	99	60	
		Primary Red					
LADDER 3							
9	CCT Minuette Profile	L132	PL3.2	X	102	70	
		Medium Blue					
10	Strand Pattern 23	L132	PL3.2	X	102	70	
		Medium Blue					
11	Strand Pattern 23	L106	PL3.1	X	101	62	
		Primary Red					
12	Strand Pattern 23	L106	PL3.1	X	101	62	
		Primary Red					
LADDER 4							
13	Strand Pattern 23	L132	PL4.2	X	104	72	
		Medium Blue					
14	Strand Pattern 23	L132	PL4.2	X	104	72	
		Medium Blue					
15	Strand Pattern 23	L106	PL4.1	X	103	64	
		Primary Red					
16	Strand Pattern 23	L106	PL4.1	X	103	64	
		Primary Red					

OP Ladders

STANDARD RIG as at April 2010

KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	NOTES
LADDER 1							
1	Strand Pattern 813 Profile	L132	OPL1.2	X	122	67	
		Medium Blue					
2	Strand Pattern 813 Profile	L132	OPL1.2	X	122	67	
		Medium Blue					
3	Strand Pattern 813 Profile	L106	OPL1.1	X	121	59	
		Primary Red					
4	Strand Pattern 813 Profile	L106	OPL1.1	X	121	59	
		Primary Red					
LADDER 2							
5	CCT Minuette Profile	L132	OPL2.2	X	124	70	
		Medium Blue					
6	Strand Pattern 23	L132	OPL2.2	X	124	70	
		Medium Blue					
7	Strand Pattern 23	L106	OPL2.1	X	123	61	
		Primary Red					
8	Strand Pattern 23	L106	OPL2.1	X	123	61	
		Primary Red					
LADDER 3							
9	CCT Minuette Profile	L132	OPL3.2	X	126	71	
		Medium Blue					
10	Strand Pattern 23	L132	OPL3.2	X	126	71	
		Medium Blue					
11	Strand Pattern 23	L106	OPL3.1	X	125	63	
		Primary Red					
12	Strand Pattern 23	L106	OPL3.1	X	125	63	
		Primary Red					
LADDER 4							
13	Strand Pattern 23	L132	OPL4.2	X	128	73	
		Medium Blue					
14	Strand Pattern 23	L132	OPL4.2	X	128	73	
		Medium Blue					
15	Strand Pattern 23	L106	OPL4.1	X	127	65	
		Primary Red					
16	Strand Pattern 23	L106	OPL4.1	X	127	65	
		Primary Red					

Additional Circuits

STANDARD RIG as at April 2010

KARRALYKA CENTRE

#	LANTERN	COL	BAR	INTER	DIMMER	CH	NOTES
MIRROBALL (Rigged on MOTOR LINE 2)							
1	Acclaim Profile 18/34	O/W	X	95	40	110	
		Open White					
2	Acclaim Profile 18/34	O/W	X	95	40	110	
		Open White					
3	Mirrorball Motor		X	94	42	111	NEEDS TO BE NON DIM